


HORIZONTAL U-TYPE RIBON MIXER



*Catalog
Mix Series*

100-300-500-1000-1500 Liter



Cover Safety Switch

Casting Bearings

Fully Loaded Main Shaft

Product Filling Input

Powerful Geared Motor

Modular Design

User Friendly Control Panel

Optional Additions

Humidification with Liquid Spraying System
Mixer Speed Adjustment with AC Motor Driver
Product Control with Sampling Valve
Prescription Production with Weighing System
Easy Movement With Wheel
Various Automation Sensors
Digital Mix Time Clock
Loading products with the Screw Conveyor
Body Structure; Complete Stainless Steel / Completely Painted Steel / Product Contact Surfaces Other Stainless Parts Painted Steel

OPTIONAL OUTPUT OPTIONS

- Butterfly Valve
- Slide Gate Valve
- Flap Valve



Powder-Powder / Powder- Granule / Granule-Granule

- Pet Food
- Bird seeds
- Cosmetics
- Abrasives Pesticides and herbicides
- Laundry
- Detergents
- Fertilizers
- Plastic Industry
- Fire Retardants
- Gypsum, Aggregate
- Physical Cleaning Materials
- Construction Materials
- Metallurgy - Ceramics
- Dyestuff, Pigment
- Battery, Battery Industry
- Bakery Premixes
- Polymer Additives
- Talcum Powder
- Ice cream mixes
- Powder Coatings
- Coating of solid particles with a small amount of liquid ingredients or a very fine and smooth powder
- Sweetening
- Paste
- Sulfur
- Spice Mixes
- Mixed Foods
- Mixed Coffees
- Pharmaceutical Industry
- Mining Industry
- Milk Powder, Baby Food
- Salt
- PVC Composition
- Polyethylene
- Bread Additives



Spice



Cosmetics



Sulfur



Pet Food



Detergent

TDM-Mix Series

TECHNICAL SPECIFICATIONS

**H
O
M
O
G
E
N
O
U
S

M
I
X
T
U
R
E
S**

Mixer Volume	100 Liter	300 Liter	500 Liter	1000 Liter	1500 Liter
Mixer Type	Horizontal Ribbon	Horizontal Ribbon	Horizontal Ribbon	Horizontal Ribbon	Horizontal Ribbon
Engine Speed	30-45 cycles	30-45 cycles	330-45 cycles	30-45 cycles	30-45 cycles
Applications	Powder-Powder Granule-Granule Powder-Granular Moistening	Powder-Powder Granule-Granule Powder-Granular Moistening	Powder-Powder Granule-Granule Powder-Granular Moistening	Powder-Powder Granule-Granule Powder-Granular Moistening	Powder-Powder Granule-Granule Powder-Granular Moistening
Dimensions	120x75x77 cm	200x65x100 cm	230x75x114 cm	120x270x200	
Body Type	U Type	U Type	U Type	U Type	U Type
Evacuation System	Electropneumatic 150mm Bath	Electropneumatic 150mm Bath	Electropneumatic 150mm Bath	Electropneumatic 150mm Bath	Electropneumatic 300mm Bath
Control Panel	Available	Available	Available	Available	Available
Body Material	Stainless Steel Painted Steel	Stainless Steel Painted Steel	Stainless Steel Painted Steel	Stainless Steel Painted Steel	Stainless Steel Painted Steel
Top cover	With Safety Switch	With Safety Switch	With Safety Switch	With Safety Switch	With Safety Switch
Rotation Direction	Optional Right- Left available	Optional Right- Left available	Optional Right- Left available	Optional Right- Left available	Optional Right- Left available
Mixing Time	15-20 minutes	15-20 minutes	15-20 minutes	15-20 minutes	115-20 minutes
Working Capacity	%30-%80	%30-%80	%30-%80	%30-%80	%30-%80

You can contact us for more information. We are always with you.

TDM-Mix Series


OPTIONAL ADDITIONS



Liquid Spraying System



Dust Filter



Ladder for Manual Product Loading



Wooden Crate for Overseas



Industrial Wheel



Screw Conveyor



Upper Grill



Weighing System



Right-Left Direction Switch



AC Motor Driver



The mixture Time Digital Time Clock

TDM-Mix Series

PHOTOS





TDM MAKİNE SANAYİ VE TİCARET LİMİTED ŞİRKETİ

Factory: Sasalı Sanayi Bölgesi 46. Sok. No:44F 35620 Çiğli İZMİR-TR

Tel: 0 232 327 4216 / Gsm: 0 543 622 20 44 / pazarlama@tdmakine.com



multipackweigher



0 543 622 20 44



tahsin demirci mühendislik

**Multipack[®]
Weigher**

Tartım ve dolım sistemleri

